SIEMENS

Compact pushbutton 22 mmmetalized round screw terminal, 1 NO + 1 NC black

product brand name	SIRIUS
product category	Commanding and signaling devices
product designation	Pushbutton
design of the product	Compact unit
product type designation	3SB7
product line	Plastic, metalized, matt, 22 mm
number of command points	1
principle of operation of the actuating element	momentary
product extension optional light source	No
color of the actuating element	black
shape of the actuating element	round
product component front ring	No
material of the front ring	plastic
color of the front ring	silver
product component light source	No
shock resistance according to IEC 60068-2-27	5g / 11 ms
vibration resistance according to IEC 60068-2-6	10 ... 500 Hz: 5g
mechanical service life (operating cycles) typical	3 000 000
electrical endurance (operating cycles) typical	600 000
Weight	19.335 g
type of voltage	AC/DC
number of NC contacts for auxiliary contacts	1
number of NO contacts for auxiliary contacts	1
number of CO contacts for auxiliary contacts	0
ambient temperature	
● during operation	-25 ... +55 °C
● during storage	-25 ... +70 °C
mounting diameter	22 mm
mounting height	42 mm
installation width	20 mm

Approvals Certificates

General Product Approval	other	Environment
EAC	Confirmation	Environmental Confirmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/ic10

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB7230-0AB10-1FA0

Cax online generator
http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB7230-0AB10-1FA0

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3SB7230-0AB10-1FA0

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SB7230-0AB10-1FA0&lang=en

29

55

20

last modified: 5/24/2024

4/1/2025